

1. Identification

Product identifier BIDRIN® XP11

Other means of identification
SDS number 368

Recommended use Broad-Spectrum Cotton Insecticide (contains both a pyrethroid and an organophosphate insecticide).

Recommended restrictions This is a Restricted Use Pesticide and is for use by licensed applicators only. Keep out of the Reach of Children!

Product registration number 5481-9024

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name AMVAC Chemical Corporation

Address 4100 E Washington Blvd
 Los Angeles, CA 90023 USA

Telephone AMVAC Chemical Corp 323-264-3910
 AMVAC Chemical Corp 323-268-1028 (FAX)

Website www.Amvac-Chemical.com

E-mail CustServ@Amvac-Chemical.com

Emergency phone number Medical 888-681-4261
 CHEMTREC® (USA+Canada) 800-424-9300
 Product Use 888-462-6822
 CHEMTREC® (Outside USA) +1-703-527-3887

2. Hazard(s) identification

Physical hazards Flammable liquids Category 4

Health hazards Acute toxicity, oral Category 2
 Acute toxicity, dermal Category 3
 Acute toxicity, inhalation Category 2
 Serious eye damage/eye irritation Category 2B
 Sensitization, skin Category 1
 Carcinogenicity Category 2
 Specific target organ toxicity, repeated exposure Category 1

Environmental hazards Hazardous to the aquatic environment, acute hazard Category 1
 Hazardous to the aquatic environment, long-term hazard Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Combustible liquid. Fatal if swallowed. Toxic in contact with skin. Causes eye irritation. Fatal if inhaled. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Wear protective gloves/eye protection/face protection. Do not breathe vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing. Wear respiratory protection.

Response

If swallowed: Immediately call a poison center/doctor. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment is urgent (see product label). Rinse mouth. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.

Storage

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

United States Environmental Protection Agency Labeling Requirements: This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: Fatal if swallowed, inhaled or absorbed through the skin. Causes skin burns and irreversible eye damage, DO NOT get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish, aquatic invertebrates, bird and mammals. Use with care when applying in areas adjacent to any body of water. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Keep out of lakes, ponds, and streams. Do not contaminate water when disposing of equipment wastewater or rinsate.

This product is toxic to bees exposed to direct treatment on blooming crops or weeds. See the label for more complete information. Do not apply if bees are visiting the treatment area. Do not spray border areas. Keep border areas within 25 feet of field free of bird feed and shelter. Birds feeding on treated area may be killed. Do not use whenever large flocks of birds are in the vicinity or when they are noted feeding in or around fields.

The use of Bidrin XP11 is prohibited in areas that may result in exposure of endangered species to Bidrin XP11. Prior to use in a particular county contact the local extension service for procedures and precautions to use to protect endangered species.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from heat and open flame.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Dicrotophos		141-66-2	43.1
Bifenthrin		82657-04-3	10.8

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Call a physician or poison control center immediately.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Have person sip a glass of water if able to swallow. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance.
Most important symptoms/effects, acute and delayed	This is a cholinesterase inhibiting organophosphorous pesticide. Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur.
Indication of immediate medical attention and special treatment needed	<p>This product is a Cholinesterase Inhibitor. Preexisting skin or respiratory disorders may be aggravated by exposure to components of this product. Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. These include: (for plasma) chronic alcoholism; malnutrition; dermatomyositis; existing toxicity from exposure to carbon disulfide; benzalkonium salts, organic mercury compounds, ciguatoxins or solanines; and (for RBC) hemolytic anemia.</p> <p>Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.</p> <p>This product is an Organophosphate (OP) Insecticide. Do not handle the patient without the following protective equipment in place: chemical resistant gloves and apron (preferably nitrile). Remove contaminated clothing and do not reuse without thorough cleaning with detergent and hot water. Dispose of heavily contaminated clothing, including shoes, as a hazardous waste. Do not wait for laboratory confirmation to treat patients with strong clinical evidence of poisoning. In the USA and other countries, contact your local or national poison control center for more information. Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Avoid morphine, aminophylline, phenothiazine, reserpine, furosemide and ethacrynic acid. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been attained as determined by a blood test. Bathe and shampoo contaminated skin and hair. If ingested, empty stomach; activated charcoal is useful to further to further limit absorption. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) is indicated. If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed endotracheal tube.</p>
General information	This product is a severe Cholinesterase Inhibitor. A physician should be contacted in all cases of exposure to the technical and its formulations. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Heating or burning may release highly toxic vapors or fumes. Containers exposed to intense heat from fires should be cooled with water to prevent vapor pressure buildup, which could result in container rupture. Do not breathe gas, fumes, or vapor.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Immediately evacuate personnel to safe areas. Keep upwind. In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Combustible liquid.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not get in eyes, on skin, on clothing. Do not breathe mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling Keep away from food, drink and animal feedstuffs. Keep out of the reach of children. Do not breathe mist or vapor. Do not use in areas without adequate ventilation. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Handle and open container with care. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Dicrotophos (CAS 141-66-2)	TWA	0.05 mg/m ³	Inhalable fraction and vapor.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Dicrotophos (CAS 141-66-2)	TWA	0.25 mg/m ³

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

Dicrotophos (CAS 141-66-2) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Dicrotophos (CAS 141-66-2) Can be absorbed through the skin.

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Face-shield. Wear a full-face respirator, if needed.

Skin protection

Hand protection Wear chemical resistant gloves (preferably nitrile)

Other Wear appropriate chemical resistant clothing (see label). It may provide little or no thermal protection.

Respiratory protection Wear positive pressure self-contained breathing apparatus (SCBA).

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Light yellow to dark amber
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Mild ester
Odor threshold	Not available.
pH	2.7 - 2.8 (Dicrotophos, 1% in water)
Melting point/freezing point	Not determined (mixture)
Initial boiling point and boiling range	Not determined (mixture)
Flash point	> 180 °F (> 82 °C) Cleveland Open Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	2.90E-03 Pa 2.2 x 10 ⁻⁵ torr (dicrotophos)
Vapor density	Havier than air
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Emulsifiable
Partition coefficient (n-octanol/water)	6 (Bifenthrin) E-isomer = 2.445; Z-isomer = .000481 (dicrotophos)
Auto-ignition temperature	347 °F (175 °C)
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Bulk density	9.51 lb/gal
Density	1.21 g/cm ³ estimated
Flammability class	Combustible IIIA estimated
Specific gravity	1.14 @ 20 °C

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Fatal if inhaled.
Skin contact	Toxic in contact with skin.
Eye contact	Causes eye irritation.
Ingestion	Fatal if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

This is a cholinesterase inhibiting organophosphorous pesticide. Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur. Product may cause slight but temporary irritation to the eyes and may cause irritation of the skin.

This product is a Cholinesterase Inhibitor. Preexisting skin or respiratory disorders may be aggravated by exposure to components of this product. Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. These include: (for plasma) chronic alcoholism; malnutrition; dermatomyositis; existing toxicity from exposure to carbon disulfide; benzalkonium salts, organic mercury compounds, ciguatoxins or solanines; and (for RBC) hemolytic anemia.

Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.

Information on toxicological effects

Acute toxicity

There is currently no information available for this premix. The following information is available for the two active substances, Dicrotophos and Bifenthrin, and is included here to assist the user in determining the possible characteristics of the product. Fatal if inhaled. Fatal in contact with skin. Fatal if swallowed.

Components	Species	Test Results
Bifenthrin (CAS 82657-04-3)		
Acute		
Dermal		
LD50	Rabbit	> 2020 mg/kg (Tox Cat III).
Inhalation		
LC50	Rat	1.1 mg/l, 4 hours Males, (Tox Cat III).
Oral		
LD50	Rat	175 mg/kg (Tox Cat II)
Dicrotophos (CAS 141-66-2)		
Acute		
Dermal		
LD50	Rabbit	876 mg/kg (males) 487 mg/kg (females) (Tox Category II)
Inhalation		
LC50	Rat	> 0.059 mg/l (Tox Category II)
Oral		
LD50	Rat	11 mg/kg (males)(Tox Category I) 8 mg/kg (females)
Skin corrosion/irritation	Causes slight skin irritation.	
Serious eye damage/eye irritation	Causes mild eye irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	No data available due to high toxicity	
Skin sensitization	Skin sensitizer.	
Germ cell mutagenicity	No data available due to high toxicity.	

Carcinogenicity Bifenthrin has produced an increased incidence of urinary bladder tumors in male mice at the highest dose level tested. This response however was considered equivocal and not evidence of a clear compound related effect. EPA has classified Bifenthrin as a class C carcinogen, a possible human carcinogen.
Dicrotophos has shown an increased incidence of thyroid follicular cell adenomas in male mice receiving 50 ppm dicrotophos, the highest dose level tested in a two year study. EPA's Cancer Classification o for Dicrotophos states only 'Suggestive Evidence of Carcinogenicity but Not Sufficient to Assess Human Carcinogenic Potential.' None of the following have classified Dicrotophos as carcinogenic: IARC, NTP, OSHA, or ACGIH.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Dicrotophos has shown effects on reproductive performance, pup survival and pup growth but only at dose levels (5 to 25 ppm) that also showed paternal toxicity in a rat multigeneration study.

Specific target organ toxicity - single exposure No specific target organ toxicity is expected after single exposure.

Specific target organ toxicity - repeated exposure Causes damage to organs through prolonged or repeated exposure (Bifenthrin).

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Components	Species	Test Results
Bifenthrin (CAS 82657-04-3)		
Aquatic		
Crustacea	LC50	Water flea (Ceriodaphnia dubia)
		Water flea (Daphnia magna)
		0 - 0.0002 mg/l, 48 hours
		0.0001 - 0.0009 mg/l, 48 hours
Dicrotophos (CAS 141-66-2)		
Aquatic		
Crustacea	EC50	Water flea (Simocephalus serrulatus)
		0.21 - 0.32 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)
		2.8 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available for this product.

Partition coefficient n-octanol / water (log Kow)

BIDRIN® XP11	6, (Bifenthrin)
Dicrotophos	2.45, (E-isomer)

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site according to all applicable regulations. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with all applicable local/regional/national/international regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal according to all applicable regulations. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number	UN2902
UN proper shipping name	Pesticides, liquid, toxic, n.o.s. (Dicrotophos, Bifenthrin), MARINE POLLUTANT

Transport hazard class(es)

Class	6.1(PGI, II)
Subsidiary risk	-
Label(s)	6.1
Packing group	II
Environmental hazards	
Marine pollutant	Yes
Special precautions for user	Not available.
Special provisions	IB2, T11, TP2, TP13, TP27
Packaging exceptions	153
Packaging non bulk	202
Packaging bulk	243

IATA

UN number	UN2902
UN proper shipping name	Pesticides, liquid, toxic, n.o.s. (Dicrotophos, Bifenthrin)
Transport hazard class(es)	
Class	6.1(PGI, II)
Subsidiary risk	-
Label(s)	6.1
Packing group	II
Environmental hazards	No.
Special precautions for user	Not available.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.

IMDG

UN number	UN2902
UN proper shipping name	Pesticides, liquid, toxic, n.o.s. (Dicrotophos, Bifenthrin), MARINE POLLUTANT
Transport hazard class(es)	
Class	6.1(PGI, II)
Subsidiary risk	-
Label(s)	6.1
Packing group	II
Environmental hazards	
Marine pollutant	Yes
EmS	Not available.
Special precautions for user	Not available.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available.

DOT

IATA; IMDG



Marine pollutant



General information DOT Regulated Severe Marine Pollutant. IMDG Regulated Severe Marine Pollutant.

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Dicrotophos (CAS 141-66-2) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Dicrotophos	141-66-2	100	100 lbs		

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Bifenthrin	82657-04-3	10.8

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Dicrotophos (CAS 141-66-2)

US. New Jersey Worker and Community Right-to-Know Act

Bifenthrin (CAS 82657-04-3)

Dicrotophos (CAS 141-66-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Dicrotophos (CAS 141-66-2)

US. Rhode Island RTK

Bifenthrin (CAS 82657-04-3)

Dicrotophos (CAS 141-66-2)

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 05-08-2015

References

ACGIH
EPA: AQUIRE database
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents
ACGIH®: American Conference of Governmental Industrial Hygienists
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
EPA: Environmental Protection Agency
FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act
IARC: International Agency for Research on Cancer
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Agency
SARA: Superfund Amendments and Reauthorization Act
TSCA: Toxic Substances Control Act
DOT: Department of Transportation
IMDG: International Maritime Dangerous Goods
IATA: International Air Transport Association

Version # 01

Further information Not available.

HMIS® ratings

Health: 4*
Flammability: 2
Physical hazard: 0

NFPA ratings

Health: 4
Flammability: 2
Instability: 0

Disclaimer

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

©2015 AMVAC Chemical Corporation. All Rights Reserved. AMVAC, Bidrin, Bidrin XP11, and the Beaker Logo are trademarks owned by AMVAC Chemical Corporation. Chemtrec is a trademark of the American Chemistry Council, Inc. HMIS is a trademark of the American Coatings Association. NFPA is a trademark of the National Fire Protection Association, Inc. ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

Revision Information

Product and Company Identification: Product and Company Identification
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Toxicological Information: Toxicological Property Data
Transport Information: Proper Shipping Name/Packing Group
HazReg Data: International Inventories
GHS: Classification