

SAFETY DATA SHEET

1. Identification

Product identifier	BIDRIN® 8
Other means of identification	
SDS number	242_v2.0
Recommended use	Organophosphate insecticide.
Recommended restrictions	This is a Restricted Use Pesticide and is for use by licensed applicators only. Keep out of the Reach of Children!
EPA Registration number	EPA: 5481-448
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company name	AMVAC Chemical Corporation
Address	4100 E Washington Blvd Los Angeles, CA 90023 USA
Telephone	AMVAC Chemical Corp 323-264-3910 AMVAC Chemical Corp 323-268-1028 (FAX)
Website	www.Amvac-Chemical.com
E-mail	CustServ@Amvac-Chemical.com
Emergency phone number	Medical 888-681-4261 CHEMTREC® (USA+Canada) 800-424-9300 Product Use 888-462-6822 CHEMTREC® (Outside USA) +1-703-527-3887

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 3
Health hazards	Acute toxicity, oral	Category 1
	Acute toxicity, dermal	Category 3
	Acute toxicity, inhalation	Category 2
	Serious eye damage/eye irritation	Category 2B
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Fatal if swallowed. Toxic in contact with skin. Fatal if inhaled. Causes eye irritation. May cause an allergic skin reaction.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing. Wear protective gloves/eye protection/face protection.

Response	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center/doctor. IF ON SKIN: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish. Collect spillage.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store in a cool, dry area Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Dicrotophos		141-66-2	82
Isopropanol		67-63-0	<15.0

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Call a physician or poison control center immediately.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Have person sip a glass of water if able to swallow Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance.
Most important symptoms/effects, acute and delayed	This is a cholinesterase inhibiting organophosphorous pesticide. Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur. This product is a Cholinesterase Inhibitor. Preexisting skin or respiratory disorders may be aggravated by exposure to components of this product. Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. these include: (for plasma) chronic alcoholism; malnutrition; dermatomyositis; existing toxicity from exposure to carbon disulfide; benzalkonium salts, organic mercury compounds, ciguatoxins or solanines; and (for RBC) hemolytic anemia. Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.

Indication of immediate medical attention and special treatment needed

This product is an Organophosphate (OP) Insecticide. Do not handle the patient without the following protective equipment in place: chemical resistant gloves and apron (preferably nitrile). Remove contaminated clothing and do not reuse without thorough cleaning with detergent and hot water. Dispose of heavily contaminated clothing, including shoes, as a hazardous waste. Do not wait for laboratory confirmation to treat patients with strong clinical evidence of poisoning. In the USA and other countries, contact your local or national poison control center for more information. Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minutes intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Avoid morphine, aminophylline, phenothiazine, reserpine, furosemide and ethacrynic acid. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been attained as determined by a blood test. Bathe and shampoo contaminated skin and hair. If ingested, empty stomach; activated charcoal is useful to further to further limit absorption. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) is indicated. If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed endotracheal tube.

General information

This product is a severe Cholinesterase Inhibitor. A physician should be contacted in all cases of exposure to the technical and its formulations. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

This product will emit toxic fumes when burned, including carbon monoxide. Vapors of the unburned product may also be hazardous. Contact with the fumes and vapors should be avoided by staying upwind and by wearing impervious clothing and positive pressure self-contained breathing apparatus. Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Immediately evacuate personnel to safe areas. Keep upwind. In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage.

Specific methods

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards

Flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not get in eyes, on skin, on clothing. Do not breathe mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Siphon the majority of the liquid into drums for use or disposal, depending on the circumstances. Clean the area as described for a small spill.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Decontaminate the area and equipment with dilute alkali or ammonia (less than 5%) and detergent.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage**Precautions for safe handling**

Keep away from food, drink and animal feedstuffs. Keep out of the reach of children. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Do not breathe mist or vapor. Do not use in areas without adequate ventilation. Do not get in eyes, on skin, or on clothing. When using, do not eat, drink or smoke. Handle and open container with care. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection**Occupational exposure limits****US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
Isopropanol (CAS 67-63-0)	PEL	980 mg/m3 400 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Dicrotophos (CAS 141-66-2)	TWA	0.05 mg/m3	Inhalable fraction and vapor.
Isopropanol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Dicrotophos (CAS 141-66-2)	TWA	0.25 mg/m3
Isopropanol (CAS 67-63-0)	STEL	1225 mg/m3 500 ppm
	TWA	980 mg/m3 400 ppm

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Isopropanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines**US - California OELs: Skin designation**

Dicrotophos (CAS 141-66-2) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Dicrotophos (CAS 141-66-2)

Skin designation applies.

US - Tennessee OELs: Skin designation

Dicrotophos (CAS 141-66-2)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Dicrotophos (CAS 141-66-2)

Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Dicrotophos (CAS 141-66-2)

Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses with side shields (or goggles).

Skin protection**Hand protection**

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

Other

Wear appropriate chemical resistant clothing (see label).

Respiratory protection

When respiratory protection is required, or concentrations may exceed the PEL, use an approved air-purifying respirator equipped with organic vapor cartridges or canisters. It is recommended that the canisters be changed whenever breakthrough occurs or eight (8) hours of use has occurred, whichever comes first. For emergency and other conditions where the exposure limit may be greatly exceeded, use an approved positive-pressure, self-contained breathing apparatus or positive-airline with auxiliary self-contained air supply.

Thermal hazards

Not applicable.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties**Appearance****Physical state**

Liquid.

Form

Liquid.

Color

Light yellow to dark amber

Odor

Mild ester

Odor threshold

Not available.

pH

Not available.

Melting point/freezing point

Not available.

Initial boiling point and boiling range

Not available.

Flash point

100 - 109 °F (38 - 43 °C)

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits**Flammability limit - lower (%)**

Not available.

Flammability limit - upper (%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

2.13E-04 hPa estimated

Vapor density

Heavier than air

Relative density

Not available.

Solubility(ies)	
Solubility (water)	Miscible
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Bulk density	9.9 lb/gal @ 20 C
Density	1.19 g/ml @ 20 C
Flammability class	Flammable IC estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Emits hazardous fumes and smoke of unknown composition when heated to decomposition or burned.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Fatal if inhaled.
Skin contact	Toxic in contact with skin.
Eye contact	Causes eye irritation.
Ingestion	Fatal if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	This product is a Cholinesterase Inhibitor. Preexisting skin or respiratory disorders may be aggravated by exposure to components of this product. Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. These include: (for plasma) chronic alcoholism; malnutrition; dermatomyositis; existing toxicity from exposure to carbon disulfide; benzalkonium salts, organic mercury compounds, ciguatoxins or solanines; and (for RBC) hemolytic anemia. Symptoms of overexposure can include shortness of breath, drowsiness, headaches, confusion, decreased coordination, visual disturbances and vomiting, and are reversible if exposure is stopped.

Information on toxicological effects

Acute toxicity	Causes eye irritation. Fatal if swallowed. Fatal if inhaled. Toxic in contact with skin.
-----------------------	--

Components	Species	Test Results
Dicrotophos (CAS 141-66-2)		
Acute		
Dermal		
LD50	Rabbit	876 mg/kg (males) 487 mg/kg (females) (Tox Category II)
Inhalation		
LC50	Rat	> 0.059 mg/l (Tox Category II)
Oral		
LD50	Rat	11 mg/kg (males)(Tox Category I) 8 mg/kg (females)
Skin corrosion/irritation	Not a skin irritant.	
Serious eye damage/eye irritation	Causes eye irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	Skin sensitizer.	

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Dicrotophos has shown an increased incidence of thyroid follicular cell adenomas in male mice receiving 50 ppm dicrotophos, the highest dose level tested in a two year study. EPA's Cancer Classification o for Dicrotophos states only 'Suggestive Evidence of Carcinogenicity but Not Sufficient to Assess Human Carcinogenic Potential.' None of the following have classified Dicrotophos as carcinogenic: IARC, NTP, OSHA, or ACGIH.
IARC Monographs. Overall Evaluation of Carcinogenicity	Not listed.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not regulated.
US. National Toxicology Program (NTP) Report on Carcinogens	Not listed.
Reproductive toxicity	Dicrotophos has shown effects on reproductive performance, pup survival and pup growth but only at dose levels (5 to 25 ppm) that also showed paternal toxicity in a rat multigeneration study.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	May be harmful if swallowed and enters airways.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Components	Species	Test Results
Dicrotophos (CAS 141-66-2)		
Aquatic		
Crustacea	EC50	Water flea (<i>Simocephalus serrulatus</i>) 0.21 - 0.32 mg/l, 48 hours
Fish	LC50	Bluegill (<i>Lepomis macrochirus</i>) 2.8 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Dicrotophos 2.45, (E-isomer)

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of container and residues in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal according to all applicable regulations.

14. Transport information

DOT

UN number UN3017

UN proper shipping name Organophosphorus pesticides, liquid, toxic, flammable (Dicrotophos, Isopropanol), MARINE POLLUTANT

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk 3

Label(s) 6.1, 3

Packing group II

Environmental hazards

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB2, N76, T11, TP2, TP13, TP27

Packaging exceptions 153

Packaging non bulk 202

Packaging bulk 243

IATA

UN number UN3017

UN proper shipping name Organophosphorus pesticides, liquid, toxic, flammable (Dicrotophos, Isopropanol)

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk 3

Label(s) 6.1, 3

Packing group II

Environmental hazards Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN3017

UN proper shipping name Organophosphorus pesticides, liquid, toxic, flammable (Dicrotophos, Isopropanol), MARINE POLLUTANT

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk 3

Label(s) 6.1, 3

Packing group II

Environmental hazards

Marine pollutant Yes

EmS Not available.


Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.


DOT



IATA; IMDG



Marine pollutant



General information

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

United States Environmental Protection Agency (EPA) Labeling Requirements: This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

DANGER: Fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds and mammals. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Keep out of lakes, ponds, and streams. Do not contaminate water when disposing of equipment washwater or rinsate. This product is toxic to bees exposed to direct treatment on blooming crops or weeds. See the label for more complete information. Do not apply if bees are visiting the treatment area. Do not spray border areas. Keep border areas within 25 feet of field free of bird feed and shelter. Birds feeding in treated areas may be killed. Do not use whenever large flocks of birds are in the vicinity or when they are noted feeding in or around fields.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Isopropanol (CAS 67-63-0)

Listed.

SARA 304 Emergency release notification

Dicrotophos (CAS 141-66-2) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
 Immediate Hazard - Yes
 Delayed Hazard - No
 Fire Hazard - Yes
 Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Dicrotophos	141-66-2	100	100 lbs		

SARA 311/312 Hazardous chemical No**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
Isopropanol	67-63-0	<15.0

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Isopropanol (CAS 67-63-0) Low priority

US state regulations**US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Isopropanol (CAS 67-63-0)

US. Massachusetts RTK - Substance List

Dicrotophos (CAS 141-66-2)

Isopropanol (CAS 67-63-0)

US. New Jersey Worker and Community Right-to-Know Act

Dicrotophos (CAS 141-66-2)

Isopropanol (CAS 67-63-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Dicrotophos (CAS 141-66-2)

Isopropanol (CAS 67-63-0)

US. Rhode Island RTK

Dicrotophos (CAS 141-66-2)

Isopropanol (CAS 67-63-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-08-2015
Revision date	05-12-2016
References	ACGIH®: American Conference of Governmental Industrial Hygienists CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act EPA: Environmental Protection Agency FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act IARC: International Agency for Research on Cancer NTP: National Toxicology Program OSHA: Occupational Safety and Health Agency SARA: Superfund Amendments and Reauthorization Act TSCA: Toxic Substances Control Act DOT: Department of Transportation IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association
Version #	02
Further information	Not available.
HMIS® ratings	Health: 4 Flammability: 3 Physical hazard: 0
NFPA ratings	Health: 4 Flammability: 3 Instability: 0
Disclaimer	<p>This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.</p> <p>AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.</p> <p>©2016 AMVAC Chemical Corporation. All Rights Reserved. AMVAC, BIDRIN, and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation. ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists. CHEMTREC is a trademark of the American Chemistry Council, Inc. HMIS is a trademark of the American Coatings Association. NFPA is a trademark of the National Fire Protection Association, Inc.</p>
Revision information	This document has undergone significant changes and should be reviewed in its entirety.