AMVAC

SAFETY DATA SHEET

1. Identification

Product identifier DURHAM® METALDEHYDE GRANULES 7.5

Other means of identification

SDS number 138

Product registration

number

EPA 5481-103

5481-584 5481-584-8278

Synonyms TRAILS END® 7.5 * Durham® Ornamental 7.5 * Metro (Tested) That's It® Dry

Recommended use Molluscicide

Recommended restrictions Keep out of the Reach of Children!

Keep away from dogs!

EPA Registration number EPA: 5481-103, 5481-584, 5481-584-8278

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name AMVAC Chemical Corporation

Address 4100 E Washington Blvd

Los Angeles, CA 90024

Telephone AMVAC Chemical Corp 949-260-1200

AMVAC Chemical Corp 949-260-6270(FAX)

Website www.Amvac-Chemical.com

E-mail CustServ@Amvac-Chemical.com

Medical 888-681-4261 CHEMTREC® 800-424-9300

(USA+Canada)

Product Use 888-462-6822 CHEMTREC® (Outside +1-703-527-3887

USA)

2. Hazard(s) identification

Emergency phone number

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement Not available.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with all applicable

local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: DURHAM® METALDEHYDE GRANULES 7.5 828 Version #: 3.0 Revision date: Jul-30-2018 Issue date: Apr-08-2015

Supplemental information

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Metaldehyde		108-62-3	7.5
Carrier		NA	80 -90
Constituents			
Chemical name	Common name and synonyms	CAS number	%

(includes trace of Crystalline silica, quartz)

14808-60-7

Composition comments

Occupational Exposure Limits for constituents are listed in Section 8.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contact

Remove contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. For minor skin contact, avoid spreading material on unaffected skin. Wash clothing separately before reuse.

Eve contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms/effects, acute and delayed

Based on animal toxicity information for metaldehyde, it is anticipated that this material would be harmful upon ingestion and that direct contact may /elicit mild eye and skin irritation. Overexposure to metaldehyde may cause excessive salivation, vomiting, nausea, acetonuria (odor of acetone on breath), convulsions, increased body temperature, depression of medullary respiratory and vasomotor control centers. Coma. May be fatal. [Note: Because of the low amounts of metaldehyde in the product, it is unlikely the victim can be exposed to sufficient quantities of metaldehyde to have coma or death induced}. Overexposure may aggravate preexisting conditions associated with the kidney, liver, and brain.

Indication of immediate medical attention and special treatment needed

Metaldehyde is a systemic toxin. There is no antidote. According to Hazardous Substance Database (HSDB), gastric lavage should be considered if potentially life-threatening levels of Metaldehyde have been ingested, if the procedure can be performed within one hour of ingestion. Administration of Diazepam or Clonidine 20 minutes after ingestion of 1000 mg/kg of Metaldehyde by mice delayed the onset of symptoms and reduced mortality. This is equivalent to 0.6 lb of metaldehyde ingested for a 10 kg child. Therefore, Diazepam and Clonidine may be appropriate antidotes to reduce the symptomatology of Metaldehyde ingestion. For acute inhalation overexposure, the patient should be monitored as respiratory failure may occur 24 to 48 hours after exposure. Contact your local or state Poison Control Center for more information. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

General information

media

Take off contaminated clothing and shoes immediately. Show this safety data sheet to the doctor in attendance. In case of shortness of breath, give oxygen. Keep victim warm. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

None known.

Specific hazards arising from the chemical

Carbon oxides, paraldehyde, acetaldehyde, and other unknown compounds can be formed during

the combustion of Metaldehyde.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Following product recovery, flush area with water. Shovel up and place in a container for salvage

or disposal. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Keep away from food, drink and

Value

animal feedstuffs. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS). Do not store in direct sunlight.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

110	OSHA Table	7-1 Limite	for Air	Contaminants	/20 CER	1010 1000\
US.	OSHA Table	Z-I LIIIIIIS	IOF AIF	Contaminants	(29 GFR	1910.1000)

Constituents	Туре	Value	Form	
(includes trace of Crystalline silica, quartz) (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.	

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value		
Carrier	TWA	0.8 mg/m3		
		20 mppcf		
Constituents	Туре	Value	Form	
(includes trace of	TWA	0.1 mg/m3	Respirable.	

(includes trace of Crystalline silica, quartz) (CAS 14808-60-7)

US. ACGIH Threshold Limit Values

Constituents	Туре	Value	Form	
(includes trace of Crystalline silica, quartz)	TWA	0.025 mg/m3	Respirable fraction.	

(CAS 14808-60-7)

Components

US. NIOSH: Pocket Guide to Chemical Hazards

	. , po	74.40	
Carrier	TWA	6 mg/m3	
Constituents	Туре	Value	Form
(includes trace of Crystalline silica, quartz)	TWA	0.05 mg/m3	Respirable dust.

Crystalline silica, quartz) (CAS 14808-60-7)

Biological limit values No biological exposure limits noted for the ingredient(s).

Type

Appropriate engineering

Not available.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Gray to brown or blue granule

Physical state Solid. Granular. **Form**

Gray to brown or blue Color

Odor Aldehyde odor Not available. **Odor threshold** Not available. Hq Melting point/freezing point Not applicable Initial boiling point and boiling Not applicable

range

Flash point Not available. **Evaporation rate** Not available Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

Not available.

Not available.

(%)

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%)

Vapor pressure 1.90E+00 @ 24°C (active ingredient)

Vapor density 6.06 (air = 1)Relative density 1.3 - 1.4 g/cm3

Solubility(ies)

Solubility (water) 0.2 g/l @ 17°C for active ingredient

Partition coefficient Not available

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

Bulk density 81.3 - 87.5 lb/ft3 **Explosive properties** Not explosive. Oxidizing properties Not oxidizing.

5 % Percent volatile

pH in aqueous solution Not available

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Chlorine. Fluorine. Hazardous decomposition products

Emits hazardous fumes and smoke of unknown composition when heated to decomposition or burned. Acetaldehyde can be formed by decomposition of Metaldehyde. Decomposition by burning may result in carbon monoxide and other toxic fumes and vapors of unknown composition.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Based on animal toxicity information for Metaldehyde, it is anticipated that this material would be harmful upon ingestion and that direct contact may elicit mild eye and skin irritation. Overexposure to Metaldehyde may cause excessive salivation, vomiting, nausea, acetonuria (odor of acetone on breath), convulsions, increased body temperature, depression of medullary respiratory and vasomotor control centers and coma. May be fatal. [Note: Because of the low amounts of

Metaldehyde in the product, it is unlikely the victim can be exposed to sufficient quantities of Metaldehyde to have coma or death induced.] Overexposure may aggravate preexisting

conditions associated with the kidney, liver, and brain.

Information on toxicological effects

Acute toxicity Not known. Causes slight skin irritation. Causes slight eye irritation.

Product Species Test Results

Metaldehyde Granules 7.5

<u>acute</u> dermal

uciliui LDE0

LD50 rabbit > 5050 mg/kg

oral

LD50 rat > 5000 mg/kg

Skin corrosion/irritation Causes slight skin irritation.

Serious eye damage/eye

irritation

Slight irritant.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization. Not a skin sensitizer.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

CarcinogenicityNone of the components found in appreciable quantities has been found to be carcinogenic by

IARC, NTP, or OSHA. Acetaldehyde, a decomposition product of Metaldehyde, has been listed as carcinogenic in the IARC monographs. Respirable crystalline silica is listed as being carcinogenic

by both IARC and NTP. Both are present at less than 0.01% in the product.

IARC Monographs. Overall Evaluation of Carcinogenicity

(includes trace of Crystalline silica, quartz) (CAS 1 Carcinogenic to humans.

14808-60-7)

Carrier (CAS NA) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

(includes trace of Crystalline silica, quartz) (CAS Cancer

14808-60-7)

US. National Toxicology Program (NTP) Report on Carcinogens

(includes trace of Crystalline silica, quartz) (CAS Known To Be Human Carcinogen.

14808-60-7)

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects No adverse effects due to inhalation are expected.

Material name: DURHAM® METALDEHYDE GRANULES 7.5

sds us 5 / 9

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance with all applicable local/regional/national/international

regulations.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code D001: Waste Flammable material with a flash point <140 F

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

Read safety instructions, SDS and emergency procedures before handling.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

Material name: DURHAM® METALDEHYDE GRANULES 7.5

828 Version #: 3.0 Revision date: Jul-30-2018 Issue date: Apr-08-2015 6 / 9

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

United States Environmental Protection Agency (EPA) Labeling Requirements: This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

CAUTION! Harmful by inhalation, in contact with skin and if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin, and clothing.

IMPORTANT: This product can be harmful to children and fatal to domestic animals when ingested. Children and dogs may be attracted to the product. Application of this product is prohibited unless children and domestic animals can be excluded from the treated area from the start of the application until applied material is no longer visible.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to mollusks (e.g., clams, oysters, scallops, mussels). Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. This pesticide is toxic to birds and mammals. Granules on soil surface may be hazardous to terrestrial wildlife. Cover or collect any such materials spilled during loading.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Metaldehyde (CAS 108-62-3)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

(includes trace of Crystalline silica, quartz) (CAS

14808-60-7)

lung effects

Listed.

immune system effects

kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Acute toxicity (any route of exposure)

categories Reproductive toxicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Material name: DURHAM® METALDEHYDE GRANULES 7.5

US state regulations

California Proposition 65



WARNING: This product can expose you to free respirable Crystalline (quartz) Silica, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

(includes trace of Crystalline silica, quartz) (CAS Listed: October 1, 1988 14808-60-7)

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

(includes trace of Crystalline silica, quartz) (CAS 14808-60-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No

Europe European List of Notified Chemical Substances (ELINCS) No
United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

16. Other information, including date of preparation or last revision

Issue dateApr-08-2015Revision dateJul-30-2018

References ACGIH®: American Conference of Governmental Industrial Hygienists

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

EPA: Environmental Protection Agency

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act IARC: International Agency for Research on Cancer

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Agency

SARA: Superfund Amendments and Reauthorization Act

TSCA: Toxic Substances Control Act DOT: Department of Transportation

IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association

Version # 3.0

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Material name: DURHAM® METALDEHYDE GRANULES 7.5

828 Version #: 3.0 Revision date: Jul-30-2018 Issue date: Apr-08-2015 8 / 9

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2018 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation.

Durham, Durham Metaldehyde Granules 7.5, Durham Ornamental 7.5, and Trails End are trademarks owned by AMVAC Chemical Corporation.

That's It is a trademark of Metro Biological Laboratory, Inc.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.